

imageRUNNER
2204N | 2004N | 2004

Canon
Delighting You Always

EXPAND THE HORIZONS OF BUSINESS PRINTING



with Every Print Essential

iR2004



with Seamless Connectivity

iR2204N



with Continuous Scanning

iR2004N

Enhance Your Print Productivity with A3 Monochrome Prints

**Wireless
Connectivity***

*only for
iR2204N/2004N

**20 / 22
ppm**

**Network
Scan***

*only for
iR2204N/2004N

Business **can** be simple



MORE SPACE TO PRINT YOUR GREATEST IDEAS

iR2204N | iR2004N | iR2004

Printing has never been easier with the new imageRUNNER 2204N/2004N (standard models) and the imageRUNNER 2004 (entry model). Packed with essential features such as A3 printing, Department ID management, network scan, mobile printing, and much more, these multifunctional devices enable you to maximise your productivity while reducing environmental impact with Canon's energy saving technology.

Capable of a wide variety of solutions, the imageRUNNER 2204N/2004N/2004 series gives you everything you need to drive your business efficiency forward.



EFFORTLESS ID CARD COPYING

Now with its own one-touch shortcut key, ID card copying lets you scan both sides of a card or licence onto a single printout effortlessly. This not only saves time but also on operating costs as well.



QUICK WARM-UP TIMES

In a fast-paced business environment, every single moment counts. Canon's On-Demand Fixing technology instantly transfers heat to the device's heating elements for a shorter warm-up time, enabling it to be ready for printing in seconds. Only activated during printing, the technology ensures that the multifunctional device is both energy saving and environmentally friendly.



MANAGE USAGE WITH DEPARTMENT ID

Manage access and track your device usage on the imageRUNNER 2204N/2004N for up to 100 users with Department ID. You can assign selective access privileges, restrict certain functions, as well as track print, copy, and scan usages.



▲ STANDARD MODEL

iR2204N / iR2004N



▲ ENTRY MODEL

iR2004

TAKE CONTROL OF YOUR JOB OPERATIONS



CUSTOMISABLE



TOUCH PANEL



BACKLIGHT

Managing your job operations has never been easier with the new touch panel screen on the control panel. Customisable, timesaving, and easy to use, the control panel supports up to 10 languages inclusive of Thai, Vietnamese, and Malay. The control panel is even backlit for visibility, making it ideal for operation no matter the lighting conditions.

SEAMLESS WIRELESS CONNECTIVITY

The imageRUNNER 2204N/2004N can wirelessly connect via an access point that is connected to a network. Once the devices are connected to a network, you can simply print from any computer or mobile devices that are connected to the same network, saving you the time from any wireless set ups and configurations.

PRINT AND SCAN ON THE GO

The Canon PRINT Business app lets you access the imageRUNNER 2204N/2004N from your mobile devices, giving you the benefits of printing and scanning within the app. Supporting file formats such as image files, PDF, Microsoft Office, and iWork™, the app is available on the App Store™ or Google Play™.

Canon imageRUNNER 2204N/2004N works with Google Cloud Print™, so you can print on the go from your smartphone or computer using Google Cloud Print enabled apps.

*iWork and App Store are trademarks of Apple Inc. Google Play and Google Cloud Print are trademarks of Google Inc.



	COPY SPEED	NETWORK PRINT	SCAN	WIFI	DEPT ID	PLATEN COVER	DADF	DUPLEX	MAXIMUM PAPER *
iR2204N	22PPM	✓	PUSH/PULL	✓	✓	OPT	OPT	OPT	2 x 250 + 80
iR2004N	20PPM	✓	PUSH/PULL	✓	✓	OPT	OPT	OPT	2 x 250 + 80
iR2004	20PPM	✗	PUSH/PULL	✗	✗	✓	✗	✗	1 x 250 + 80

Based on *80gsm paper sheet

METHOD 01 PUSH SCAN FUNCTION



METHOD 02 PULL SCAN FUNCTION



STREAMLINE YOUR WORKFLOW

Facilitate scanning to a computer in various file formats (JPEG, TIFF, PDF) with the MF Toolbox software. With MF Toolbox, you can attach scanned images to email or store them in specific folders. Initial scan settings can also be configured to suit your workflow, reducing the need to re-enter frequently used settings, saving time and effort.

SPECIFICATIONS

ImageRUNNER 2204N | 2004N | 2004

GENERAL SPECIFICATIONS		iR2004	iR2004N	iR2204N
Type		A3 Monochrome Multifunctional Device (Reader/Printer/Desktop)		
Copy / Print Speed	A4	20ppm	22ppm	
	A3	10ppm	11ppm	
Warm-Up Time		13 secs		
Recovery from Sleep Mode		4.3 secs		
First Copy Time		7.4 secs		
Memory		128MB	512MB	
Dimensions (W x D x H)		622 x 589 x 502mm	622 x 605 x 607mm (with ADF)	
Weight		Approx. 28.7kg	Approx. 35.5kg (with ADF)	
Installation Space (W x D)		921 x 589mm (when multipurpose tray is extended)		
Power Supply		220 to 240 V AC, 50/60 Hz, 2.4 A	220 to 240 V AC, 50/60 Hz, 2.7 A	
Max. Power Consumption		1.5 kWh (2 W during Sleep mode)		
Toner Yield (A4, 6% coverage)		Approx. 10,200 sheets (A4, 6% coverage)		
Drum Yield		Approx. 61,700 sheets		
PRINT SPECIFICATIONS				
Print Resolution		600 x 600dpi		
Page Description Language		UFRII LT (Standard)		
Print OS Compatibility		Windows 10/8.1/8/7/Vista/XP, Windows Server 2003/Server 2003 R2/Server 2008, Mac OS X 10.6.X or later		
Interface	Network	N/A	Ethernet 100Base-Tx/10Base-T	
	Others	USB2.0 x 1		
Network Protocol		N/A	TCP/IP (IPv4/IPv6) Frame type: Ethernet II Print applications: LPD/Raw/WSD	
COPY SPECIFICATIONS				
Copy Resolution		600 x 600dpi		
Multiple Copies/Prints		Up to 999 copies		
Magnification		25% - 400%		
SCAN SPECIFICATIONS				
Pull Scan & Push Scan (MF Toolbox)		BW/CLR 300 x 300dpi		
Scan Speed (A4, 300dpi)	1 sided	BW: 23 sheets/minute CL: 12 sheets/minute		
Scan OS Compatibility		Windows 10/8.1/8/7/Vista, Mac OS X 10.6.X or later		
Push Scan Method(s)		N/A	Network folders (SMB, FTP)	
		USB Memory Media		
Pull Scan/Remote Scan		MF Toolbox, application compatible with TWAIN/WIA		
File Format (Scan)		PDF/Compact PDF/Searchable PDF/BMP/JPEG/EXIF/TIFF		

PAPER HANDLING		iR2004	iR2004N	iR2204N
Paper Sizes	Cassette 1	A3, B4, A4R, A4, B5R, B5, A5R, India-LGL, FOOLSCAP		
	Cassette 2	N/A	A3, B4, A4R, A4, A5, B5, B5R	
	Multipurpose Tray	A3, B4, A4R, A4, B5, B5R, A5, A5R, India-LGL, FOOLSCAP, Envelope (COM 10, Monarch, ISO-C5, DL)		
Paper Input Capacity (Standard)	Cassette 1	250 sheets (80gsm)		
	Multipurpose Tray	80 sheets (80gsm)		
Paper Input Capacity (Option)	Cassette 2	N/A	250 sheets (80gsm)	
Paper Weight	Cassette	Weight: 64 - 90gsm Type: Plain (64 to 90gsm), Recycled (65 to 80gsm), Colour (64 to 80gsm), Pre-punched (75 to 80gsm)		
	Multipurpose Tray	Weight: 64 - 128gsm Type: Plain (64 to 90gsm), Heavy 1 (91 to 105gsm), Heavy 2 (106 to 128gsm), Recycled (65 to 80gsm), Colour (64 to 80gsm), Pre-punched (75 to 80gsm), Bond (75 to 90gsm), Transparency, Label, Envelope		
OPTIONAL ACCESSORIES				
DUPLIX AUTOMATIC DOCUMENT FEEDER - AT1				
Type		N/A	Automatic Document Feeder	
Size of Originals		N/A	A3, B4, A4, A4R, B5, B5R, A5, A5R, FOOLSCAP, Indian LGL	
Paper Weight		N/A	When continuously scanning originals: 52 to 105gsm When scanning a single original: 37 to 128gsm	
Max. Number of Originals		N/A	50 sheets (80gsm)	
Scanning Speed (Max.)	Copying (A4 in B&W at 600dpi)	N/A	1-sided scanning: 20ipm 2-sided scanning: 8ipm	1-sided scanning: 22ipm 2-sided scanning: 8ipm
	Scanning (A4 at 300dpi)	N/A	1-sided scanning: B&W: 23.4ipm Colour: 12ipm 2-sided scanning: B&W: 8ipm Colour: 4ipm	
Dimensions (W x D x H)		N/A	565 x 520.5 x 126mm	
Weight		N/A	Approx. 7.0kg	
CASSETTE FEEDING MODULE - AD1				
Paper Sizes		N/A	A3, B4, A4, A4R, B5, B5R, A5	
Paper Capacity		N/A	250 sheets (80gsm)	
Power Source		N/A	From main unit	
Dimensions (W x D x H)		N/A	579 x 575 x 116mm	
Weight		N/A	Approx. 5.75kg	
OTHER OPTIONAL ACCESSORIES AND SUPPLIES				
Duplex Unit-C1*, Platen Cover Type X*, FL Cassette-BB1*, Heater Kit-M2, Cassette Heater Unit-40 *Available for iR2204N/2004N only				

SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS

CANON SINGAPORE PTE. LTD.

1 Fusionopolis Place #15-10 Galaxis Singapore 138522

Tel: 65-6799-8888

Fax: 65-6799-8882

www.canon-asia.com

www.canon.com.sg



CANON OFFICES

MALAYSIA
Canon Marketing (Malaysia) Sdn Bhd
Block D, Perimba Square
Sauliana Resort Section U2,
40150 Shah Alam
Selangor Darul Ehsan, Malaysia
Tel : 60-3-7844 6200 / 7845 0055
Fax : 60-3-7844 6196 / 6198
www.canon.com.my

THAILAND
Canon Marketing (Thailand) Co. Ltd
No. 98 Sathorn Square Office Tower,
22nd - 24th floor, North Sathorn Road,
Silom, Bangrak, Bangkok 10500
Tel : 66-2-344 9999
Tel : 66-2-344 9999
Fax : 66-2-344 9960
www.canon.co.th

VIETNAM
Canon Marketing (Vietnam) Co. Ltd
Level 10, President Place,
93 Nguyen Du, Dist 1,
Ho Chi Minh City, Vietnam
Tel : 84-8-3820 0466
Tel : 84-8-3820 0477
Fax : 84-8-3820 0477
www.canon.com.vn

AFGHANISTAN
Megaplus Afghanistan Limited House
No. 233, Street No. 4, Charagh Ali,
Qilla-e-Fatehullah, Kabul, Afghanistan
Tel : 93-700 228 832
93-700 979 511
Fax : 93-202 201 259
Email: info@megaplus.com.af

BANGLADESH
Flora Limited
Adamjee Court Annex-2 (4th Floor)
119-120 Motijheel Commercial Area
Dhaka 1000 Bangladesh
Tel : 880-2-716-2742-46 / 225
Fax : 880-2-955-0030
www.floralimited.com

BRUNEI
Interhouse Company
No. 5-7 Bunut Jaya Complex
Spq 574 Jalan Tutong Bf1320
P.O. Box 423, Seri Complex
Bandar Seri Begawan BA 1779
Brunei Darussalam
Tel : 673-2-653-001
Tel : 673-2-653-003

CAMBODIA
Royal Cambodia Co., Ltd
#437 Preah Monivong Blvd
Phnom Penh
Kingdom of Cambodia
Tel : 855-23-428955
Fax : 855-23-722961

INDIA
Canon India Private Limited
7th Floor, Tower B, Building #5
DLF Cyber Terraces, DLF Phase-3
Gurgaon - 122002
Haryana, India
Tel : 91-124-416 0000
Tel : 91-124-416 0011
www.canon.co.in

HONG KONG
Canon Hongkong Co. Ltd
19F, The Metropolis Tower
10 Metropolis Drive
Hung Hom, Hong Kong
Tel : 852-3191-2388
Fax : 852-2369-3800
www.canon.com.hk

TAIWAN
Canon Marketing (Taiwan) Co. Ltd
19F, No. 100, Sec.2 Roosevelt Road,
Taipei, Taiwan, R.O.C.
Tel : +886 2-6632-8888
Tel : +886 2-6632-6700
www.canon.com.tw

INDONESIA
PT Samafitro
Jalan Ir. H Juanda No. 8
Jakarta 10120, Indonesia
Tel : 62-21-345 8989
Tel : 62-21-345 6699
www.samafitro.co.id

MALDIVES
Simdi Company Pvt Ltd.
G. Manaam Building,
2/1 Neelofaru Magu,
Male' 20-129, Maldives
Tel : 960-333 4421
Fax : 960-333 4424

MYANMAR
Myanmar Golden Rock International
Co., Ltd
Level 7, Building No 18, Myanmar
ICT Park, Universities Hlaing Campus,
Hlaing Township, Yangon.
Tel : 95-1-654810 to 19 (10 Lines),
95-1-654844 to 48 (5 Lines)
Tel : 95-1-654820
Email: sales@mgr.com.mm

NEPAL
International Electronics Center
(P) Ltd
Kha 14, 1st Floor
Haratibhawan Putalisadak
Ramshah Path, Kathmandu, Nepal
P.O. Box 12588
Tel : 977-1-442 1991
Fax : 977-1-442 1909

PHILIPPINES
Canon Marketing (Philippines), Inc.
Ground Floor Commerce and
Industry Plaza,
Campus Ave. Cor. Park Ave.,
McKinley Hill
Fort Bonifacio, Taguig City
Tel : 632-884-9000
Tel : 632-556-1456
www.canon.com.ph

PAKISTAN
Shirazi Trading Company (Pvt.) Ltd
8th Floor, Adamjee House
I.I. Chundrigar Road
Karachi 74000 Pakistan
Tel : 92-21-3241 (7659), (7737)
or (7746)
Tel : 92-21-3241 (7747), (3242 0417)
or (3242 0418)
www.shirazitrading.com.pk

SRI LANKA
Metropolitan Office (Pvt) Ltd
12, Magazine Road Colombo 08
Sri Lanka
Tel : 94-11-470 0200
Tel : 94-11-470 0267
www.metropolitan.lk

THAILAND
Canon Marketing (Thailand) Co. Ltd
No. 98 Sathorn Square Office Tower,
22nd - 24th floor, North Sathorn Road,
Silom, Bangrak, Bangkok 10500
Tel : 66-2-344 9999
Tel : 66-2-344 9999
Fax : 66-2-344 9960
www.canon.co.th

DEALER'S STAMP

This brochure and the specifications of the product have been developed prior to the date of product launch. These specifications are subject to change without notice. Therefore no representations or warranties, either express or implied, are made of the fitness of this product for a particular purpose. In no circumstances shall the information in this brochure be considered part of our terms and conditions of sale. You are advised to check the prevailing specification immediately prior to purchase. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.